

**AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions, and listings, of claims in the application.

Claims 1-57 (cancelled)

58. (Currently Amended) A method for processing a slaughtered bird suspended by its legs comprising breaking at least one tissue connection between the stomach of the bird and belly fat situated on the inside of the belly skin ~~and the viscera of the~~ bird prior to evisceration of the carcass of the bird, wherein the at least one tissue connection is broken at least partially by introducing separating means into the carcass of the bird through a hole in the skin and moving the separating means within the carcass in a substantially horizontal plane.

Claim 59 (cancelled)

60. (Previously Presented) The method of claim 58, wherein the separating means is rotated within the carcass.

61. (Currently Amended) The method of claim 58, wherein the separating means is moved in a scraping manner between the stomach of the bird and belly fat situated on the inside of the belly skin ~~and the viscera.~~

62. (Currently Amended) A device for processing a slaughtered bird suspended by its legs prior to evisceration of the bird comprising separating means configured to for breaking tissue connections between the stomach of the bird and belly fat situated on the inside of the belly skin and the viscera, wherein the separating means is adapted to move in a substantially horizontal plane.

63. (Previously Presented) The device of claim 62, further comprising first moving means for moving the separating means in the carcass through a hole in the skin.

64. (Previously Presented) The device of claim 63, wherein the first moving means move the separating means in a rotating manner.

65. (Original) The device of claim 62, wherein the separating means are in the form of scraping means.

66. (Previously Presented) The device of claim 63, further comprising second moving means for placing a protection element in the carcass prior to or during moving the separating means in the carcass.

67. (Currently Amended) A method for breaking at least one tissue connection between the belly skin and the viscera of a slaughtered bird prior to evisceration

of the carcass of the bird comprising inserting a substantially elongated element with a free end under the skin of the belly of the slaughtered bird which is provided with a hole in the skin, wherein inserting the elongated element comprises:

inserting a protection element through the hole and into the bird to protect the viscera as the free end of the elongated element is moved within the carcass of the bird, wherein the protection element comprises a stop face adapted for pushing away the viscera from the hole;

positioning the free end of the elongated element in the hole near the stop face;  
and

rotating the elongated element about a substantially vertical axis to insert the free end of the elongated element under the skin and to move the free end of the elongated element away from the stop face.

68. (Currently Amended) A device for breaking at least one tissue connection between the belly skin and the viscera of a slaughtered bird prior to evisceration of the carcass of the bird comprising:

a substantially elongated element having a free end for insertion under the skin of the belly of the bird;

a protection element for insertion into the bird through a hole in the skin to protect the viscera as the free end of the elongated element is moved within the carcass of the bird, wherein the protection element comprises a stop face adapted for pushing away the viscera from the hole; and

moving means for positioning the free end of the elongated element in the hole near the stop face and for rotating the elongated element about a substantially vertical axis for inserting the free end of the elongated element under the skin and for moving the free end of the elongated element away from the stop face.

69. (Original) The device of claim 68, wherein the protection element is plate-shaped.

70. (Previously Presented) The method of claim 58, wherein the hole in the skin is an opening obtained by cutting out the vent.

71. (Previously Presented) The device of claim 63, wherein the hole in the skin is an opening obtained by cutting out the vent.

72. (Previously Presented) The device of claim 68, wherein the hole in the skin is an opening obtained by cutting out the vent.

Claims 73 and 74 (cancelled)

75. (Previously Presented) The method of claim 67, wherein the hole in the skin is an opening obtained by cutting out the vent.

76. (New) The method of claim 58, wherein the separating means is positioned at a selected position relative to the breastbone of the bird.

77. (New) The device of claim 62, wherein the separating means is configured to be positioned at a selected position relative to the breastbone of the bird.